

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,474,648 B2
APPLICATION NO. : 10/679439
DATED : January 6, 2009
INVENTOR(S) : Jonsson et al.

3
Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Figure 4c is missing in the Issued Patent, and should be added as shown on attached page.

In Column 1, Lines 41-51, delete "different times.(ISI)." and insert the same at Line 39, after "receiver at" as a continuation of the paragraph.

In Column 11, Line 13, delete "(step 427)." and insert -- 437 --, therefor.

Delete the title page and substitute therefore the attached title page showing the corrected number of drawing sheets in patent.

This certificate supersedes Certificate of Correction issued June 15, 2010.

[REDACTED]



US007474648B2

(12) **United States Patent**
Jonsson et al.

(10) **Patent No.:** US 7,474,648 B2
(45) **Date of Patent:** Jan. 6, 2009

(54) **FILTERING MULTIPATH PROPAGATION
DELAY VALUES FOR USE IN A MOBILE
COMMUNICATIONS SYSTEM**

(75) **Inventors:** Elias Jonsson, Malmö (SE); Hiroaki
Watabe, Tokyo (JP)

(73) **Assignee:** Telefonaktiebolaget L M Ericsson
(publ), Stockholm (SE)

(*) **Notice:** Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 763 days.

(21) **Appl. No.:** 10/679,439

(22) **Filed:** Oct. 7, 2003

(65) **Prior Publication Data**
US 2004/0259576 A1 Dec. 23, 2004

Related U.S. Application Data

(60) Provisional application No. 60/479,151, filed on Jun.
18, 2003.

(51) **Int. Cl.**
H04B 7/216 (2006.01)

(52) **U.S. Cl.** 370/342; 370/350; 455/67.16

(58) **Field of Classification Search** 370/350,
370/328, 335, 342; 455/434, 502, 67.16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,480,558 B1 * 11/2002 Ottosson et al. 375/350
6,510,143 B1 1/2003 Bejjani et al.
6,519,276 B1 2/2003 Kim et al.

7,012,909 B2 * 3/2006 Tanno et al. 370/335
2002/0015399 A1 2/2002 Hirade
2003/0039304 A1 2/2003 Terao
2003/0202541 A1 * 10/2003 Lin et al. 370/503

FOREIGN PATENT DOCUMENTS

EP 0989685 A2 3/2000
JP 2002198864 A 7/2002
WO WO00/21201 4/2000
WO 00/55992 9/2000
WO 01/45295 A 6/2001
WO 02/29996 A2 4/2002
WO 02/082676 A1 10/2002

OTHER PUBLICATIONS

European Search Report, completed Jun. 28, 2007, in connection
with European Application No. 06 077 230.8.

* cited by examiner


Primary Examiner—Nguyen Vo

(74) **Attorney, Agent, or Firm**—Potomac Patent Group PLLC

(57) **ABSTRACT**

A time slot boundary of an unknown cell in a telecommuni-
cations system is identified by correlating a received signal
with a known code over a range of delay values for each of one
or more time slots, wherein the known code is used by all cells
in the telecommunications system. Only for each of the delay
values that are not associated with a known cell, correlation
values obtained at each of the one or more time slots are
accumulated. The time slot boundary is identified by deter-
mining which of the delay values is associated with a highest
accumulated correlation value. One or more stored monitored
delay sets may be used to determine which delay values are
not associated with a known cell. The one or more stored
monitored delay sets may be filtered using delay information
obtained over a period of time.

54 Claims, 6 Drawing Sheets






FIG. 4C